<u>Sample Name</u>: Poly(styrene-b-2-vinyl pyridine) <u>Sample #:</u> P18545-S2VP


Structure:

Composition:

composition.		
Mn x 10 ³ S-b-2VP	PDI	
55.0-b-8.0	1.10	
T _g for 2VP block: Not distinct 95°C for 100k homopolymer)	T_g for PS block: 104 $^{\rm o}C$	

Synthesis Procedure:

Poly(styrene-b-2-vinyl pyridine) is prepared by living anionic polymerization in THF at -78 °C in the presence of LiCl an additive. Polystyrene macroanions were end capped with a unit of diphenyl ethylene (DPE) before adding 2-vinylpyridine (2VP) monomer. For further details please see our published articles 1.2 The scheme of the reaction is illustrated below:



Characterization:

An aliquot of the anionic polystyrene block was terminated before addition of 2VP and analyzed by size exclusion chromatography (SEC) to obtain the molecular weight and polydispersity index (PDI). The block copolymer composition was then calculated from ¹H-NMR spectroscopy by comparing the peak area of the 2VP proton at 8.2 ppm with the peak area of the aromatic protons of polystyrene at 6.3-7.2 ppm. The composition of the block copolymer can also be determined by titration in acetic acid/HClO4 using crystal violet indicator. Copolymer PDI is determined by SEC.

Thermal analysis:


Thermal analysis of the samples was carried out on a TA Q100 differential scanning calorimeter at a heating rate of 10° C/min.The midpoint of the slope change of the heat flow plot of the second heating scan was considered as the glass transition temperature (T_g).

References:

(1). S. K. Varshney, X. F. Zhong and A. Eisenberg Macromolecules, **1993**, 26, 701-706.

 Z.Gao, S. K. Varshney, S. Wong, A. Eisenberg Macromolecules, 1994, 27, 7923-7927.


¹H-NMR Spectrum of the Polymer



SEC:

Sample ID: P18545-S2VP

Concentration (mg/mL)	4.2709
Sample dn/dc (mL/g)	0.1660
Method File	PS80K-0903-2014-0000.vcm
Column Set	3x PL 1113-6300
Solvent	THF



Sample	MW Number Average (Da)	MW Weight Average (Da)	MW at Peak (Da)	Polydispersit	Intrinsic Viscosity (dL/g)
P18545-S2VP_01.vdt	61,799	67,548	65,305	1.093	0.4769

DSC thermogram for the polymer:

